

Introduced by

Judiciary Committee

(At the request of the State Board of Pharmacy)

1 A BILL for an Act to amend and reenact subsection 18 of section 19-03.1-01 and sections  
2 19-03.1-05, 19-03.1-07, 19-03.1-11 and 19-03.1-13 of the North Dakota Century Code, relating  
3 to the definition of marijuana and the scheduling of controlled substances; and to declare an  
4 emergency.

5 **BE IT ENACTED BY THE LEGISLATIVE ASSEMBLY OF NORTH DAKOTA:**

6 **SECTION 1. AMENDMENT.** Subsection 18 of section 19-03.1-01 of the North Dakota  
7 Century Code is amended and reenacted as follows:

8 18. ~~"Marijuana" means all parts of the plant cannabis sativa L., whether growing or not;~~  
9 ~~the seeds thereof; the resin extracted from any part of the plant; and every compound,~~  
10 ~~manufacture, salt, derivative, mixture, or preparation of the plant, its seeds, or resin.~~  
11 ~~The term does not include the mature stalks of the plant, fiber produced from the~~  
12 ~~stalks, oil or cake made from the seeds of the plant, any other compound,~~  
13 ~~manufacture, salt, derivative, mixture, or preparation of mature stalks, except the resin~~  
14 ~~extracted therefrom, fiber, oil, or cake, or the sterilized seed of the plant which is~~  
15 ~~incapable of germination. The term marijuana does not include hemp as defined in~~  
16 ~~title 4.1 chapter 4.1-18.1 or a prescription drug approved by the United States food and~~  
17 ~~drug administration under section 505 of the Federal Food, Drug, and Cosmetic Act~~

18 [21 U.S.C. 355] means all parts of the plant cannabis sativa L., whether growing or not;  
19 the seeds thereof; the resin extracted from any part of the plant; and every compound,  
20 manufacture, salt, derivative, mixture, or preparation of the plant, its seeds, or resin.

21 The term does not include:

22 a. The mature stalks of the plant, fiber produced from the stalks, oil or cake made  
23 from the seeds of the plant, any other compound, manufacture, salt, derivative,  
24 mixture, or preparation of mature stalks (except the resin extracted therefrom).

- 1                    fiber, oil, or cake, or the sterilized seed of the plant which is incapable of  
2                    germination;  
3                    b. Hemp as defined in chapter 4.1-18.1; or  
4                    c. A prescription drug approved by the United States food and drug administration  
5                    under section 505 of the Federal Food, Drug, and Cosmetic Act [21 U.S.C. 355].

6                    **SECTION 2. AMENDMENT.** Section 19-03.1-05 of the North Dakota Century Code is  
7 amended and reenacted as follows:

8                    **19-03.1-05. Schedule I.**

- 9                    1. The controlled substances listed in this section are included in schedule I.  
10                    2. Schedule I consists of the drugs and other substances, by whatever official name,  
11                    common or usual name, chemical name, or brand name designated, listed in this  
12                    section.  
13                    3. Opiates. Unless specifically excepted or unless listed in another schedule, any of the  
14                    following opiates, including their isomers, esters, ethers, salts, and salts of isomers,  
15                    esters, and ethers, whenever the existence of those isomers, esters, ethers, and salts  
16                    is possible within the specific chemical designation:  
17                    a. Acetylmethadol.  
18                    b. Allylprodine.  
19                    c. Alphacetylmethadol.  
20                    d. Alphameprodine.  
21                    e. Alphamethadol.  
22                    f. Benzethidine.  
23                    g. Betacetylmethadol.  
24                    h. Betameprodine.  
25                    i. Betamethadol.  
26                    j. Betaprodine.  
27                    k. Brorphine.  
28                    l. Clonitazene.  
29                    ~~t.m.~~ Dextromoramide.  
30                    ~~m.n.~~ Diampromide.  
31                    ~~n.o.~~ Diethylthiambutene.

Sixty-seventh  
Legislative Assembly

1	<u>o-p.</u>	Difenoxin.
2	<u>p-q.</u>	Dimenoxadol.
3	<u>q-r.</u>	Dimepheptanol.
4	<u>r-s.</u>	Dimethylthiambutene.
5	<u>s-t.</u>	Dioxaphetyl butyrate.
6	<u>t-u.</u>	Dipipanone.
7	<u>u-v.</u>	Ethylmethylthiambutene.
8	<u>v-w.</u>	Etonitazene.
9	<u>w-x.</u>	Etoxidine.
10	<u>x-y.</u>	Furethidine.
11	<u>y-z.</u>	Hydroxypethidine.
12	<u>z-aa.</u>	<u>Isotonitazene.</u>
13	<u>aa-bb.</u>	Ketobemidone.
14	<u>aa-bb-cc.</u>	Levomoramide.
15	<u>bb-cc-dd.</u>	Levophenacymorphan.
16	<u>cc-dd-ee.</u>	Morpheridine.
17	<u>dd-ee-ff.</u>	MPPP (also known as 1-methyl-4-phenyl-4-propionoxypiperidine).
18	<u>ee-ff-gg.</u>	Noracymethadol.
19	<u>ff-gg-hh.</u>	Norlevorphanol.
20	<u>gg-hh-ii.</u>	Normethadone.
21	<u>hh-ii-jj.</u>	Norpipanone.
22	<u>ii-jj-kk.</u>	PEPAP (1-(2-Phenylethyl)-4-Phenyl-4-acetoxypiperidine).
23	<u>jj-kk-ll.</u>	Phenadoxone.
24	<u>kk-ll-mm.</u>	Phenampromide.
25	<u>ll-mm-nn.</u>	Phenomorphan.
26	<u>mm-nn-oo.</u>	Phenoperidine.
27	<u>nn-oo-pp.</u>	Piritramide.
28	<u>oo-pp-qq.</u>	Proheptazine.
29	<u>pp-qq-rr.</u>	Properidine.
30	<u>qq-rr-ss.</u>	Propiram.
31	<u>rr-ss-tt.</u>	Racemoramide.

1 ~~ss.tt.uu.~~ Tilidine.

2 ~~tt.uu.vv.~~ Trimeperidine.

3 ~~uu.vv.wv.~~ 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (also  
4 known as U-47700).

5 ~~vv.wv.xx.~~ 1-cyclohexyl-4-(1,2-diphenylethyl)piperazine (also know as MT-45).

6 ~~ww.xx.yy.~~ 3,4-dichloro-N-[[1-(dimethylamino)cyclohexyl]methyl]benzamide (also  
7 known as AH-7921).

8 ~~yy.zz.~~ Zipeprol.

9 ~~xx.zz.aaa.~~ Fentanyl derivatives. Unless specifically excepted or unless listed in

10 another schedule or are not FDA approved drugs, and are derived from N-(1-(2-  
11 Phenylethyl)-4-piperidiny)-N-phenylpropanamide (Fentanyl) by any substitution  
12 on or replacement of the phenethyl group, any substitution on the piperidine ring,  
13 any substitution on or replacement of the propanamide group, any substitution on  
14 the anilido phenyl group, or any combination of the above. Examples include:

15 (1) N-[1-(1-methyl-2-phenethyl)-4-piperidiny]-N-phenylacetamide (also known  
16 as Acetyl-alpha-methylfentanyl).

17 (2) N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl]propionanilide; 1-(1-methyl-  
18 2-phenylethyl)-4-(N-propanilido)piperidine (also known as Alpha-  
19 methylfentanyl).

20 (3) N-[1-methyl-2-(2-thienyl)ethyl-4-piperidiny]-N-phenylpropanamide (also  
21 known as Alpha-methylthiofentanyl).

22 (4) N-[1-(2-hydroxy-2-phenethyl)-4-piperidiny]-N-phenylpropanamide (also  
23 known as Beta-hydroxyfentanyl).

24 (5) N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidiny]-N-phenylpropanamide  
25 (also known as Beta-hydroxy-3-methylfentanyl).

26 (6) N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]-N-phenylpropanamide (also  
27 known as 3-Methylfentanyl).

28 (7) N-[3-methyl-1-(2-thienyl)ethyl-4-piperidiny]-N-phenylpropanamide (also  
29 known as 3-Methylthiofentanyl).

30 (8) N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-piperidiny]propanamide (also  
31 known as Para-fluorofentanyl).

- 1 (9) N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]propanamide (also known as  
2 Thiofentanyl).
- 3 (10) N-(1-phenylethylpiperidin-4-yl)-N-phenylfuran-2-carboxamide (also known  
4 as Furanyl Fentanyl).
- 5 (11) N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide; N-(1-phenethylpiperidin-  
6 4-yl)-N-phenylbutanamide (also known as Butyryl Fentanyl).
- 7 (12) N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-yl]-N-phenylpropionamide;  
8 N-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidinyl]-N-phenylpropanamide (also  
9 known as Beta-Hydroxythiofentanyl).
- 10 (13) N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide (also known as Acetyl  
11 Fentanyl).
- 12 (14) N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (also known as Acryl  
13 Fentanyl).
- 14 (15) N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide (also known as Valeryl  
15 Fentanyl).
- 16 (16) N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide (also known  
17 as 4-Fluoroisobutyryl Fentanyl).
- 18 (17) N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)propionamide (also known  
19 as Ortho-fluorofentanyl, 2-Fluorofentanyl).
- 20 (18) N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-carboxamide (also  
21 known as Tetrahydrofuranyl Fentanyl).
- 22 (19) 2-methoxy-N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide (also known as  
23 Methoxyacetyl Fentanyl).
- 24 (20) N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopropanecarboxamide (also  
25 known as Cyclopropyl Fentanyl).
- 26 (21) N-(2-fluorophenyl)-2-methoxy-N-(1-phenethylpiperidin-4-yl)acetamide (also  
27 known as Ocfentanil).
- 28 (22) N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (also  
29 known as Cyclopentyl Fentanyl).
- 30 (23) N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (also known as  
31 Isobutyryl Fentanyl).

- 1 (24) N-(4-chlorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide (also known  
2 as Para-chloroisobutyryl Fentanyl).
- 3 (25) N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)butyramide (also known  
4 as Para-methoxybutyryl Fentanyl).
- 5 (26) N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide (also known as  
6 Para-fluorobutyryl Fentanyl).
- 7 (27) N-(1-(2-fluorophenethyl)piperidin-4-yl)-N-(2-fluorophenyl)propionamide (also  
8 known as 2'-fluoro Ortho-fluorofentanyl).
- 9 (28) N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide (also known as  
10 Ortho-methyl Acetylfentanyl).
- 11 (29) N-(1-phenethylpiperidin-4-yl)-N,3-diphenylpropanamide (also known as  
12 Beta'-phenyl Fentanyl and Hydrocinnamoyl Fentanyl).
- 13 (30) N-(1-phenethylpiperidin-4-yl)-N-phenylthiophene-2-carboxamide (also  
14 known as Thiofuranyl Fentanyl).
- 15 (31) (E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide (also known as  
16 Crotonyl Fentanyl).
- 17 4. Opium derivatives. Unless specifically excepted or unless listed in another schedule,  
18 any of the following opium derivatives, its salts, isomers, and salts of isomers  
19 whenever the existence of such salts, isomers, and salts of isomers is possible within  
20 the specific chemical designation:
- 21 a. Acetorphine.
- 22 b. Acetyldihydrocodeine.
- 23 c. Benzylmorphine.
- 24 d. Codeine methylbromide.
- 25 e. Codeine-N-Oxide.
- 26 f. Cyprenorphine.
- 27 g. Desomorphine.
- 28 h. Dihydromorphine.
- 29 i. Drotebanol.
- 30 j. Etorphine (except hydrochloride salt).
- 31 k. Heroin.

Sixty-seventh  
Legislative Assembly

- 1           l. Hydromorphinol.
- 2           m. Methyldesorphine.
- 3           n. Methyldihydromorphine.
- 4           o. Morphine methylbromide.
- 5           p. Morphine methylsulfonate.
- 6           q. Morphine-N-Oxide.
- 7           r. Myrophine.
- 8           s. Nicocodeine.
- 9           t. Nicomorphine.
- 10          u. Normorphine.
- 11          v. Pholcodine.
- 12          w. Thebacon.
- 13          5. Hallucinogenic substances. Unless specifically excepted or unless listed in another  
14             schedule, any material, compound, mixture, or preparation containing any quantity of  
15             the following hallucinogenic substances, including their salts, isomers, and salts of  
16             isomers whenever the existence of those salts, isomers, and salts of isomers is  
17             possible within the specific chemical designation (for purposes of this subsection only,  
18             the term "isomer" includes the optical, position, and geometric isomers):
  - 19            a. Alpha-ethyltryptamine, its optical isomers, salts, and salts of isomers (also known  
20                as etryptamine;  $\alpha$ -ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole).
  - 21            b. Alpha-methyltryptamine.
  - 22            c. 4-methoxyamphetamine (also known as 4-methoxy- $\alpha$ -methylphenethylamine;  
23                paramethoxyamphetamine; PMA).
  - 24            d. N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy- $\alpha$ -  
25                methyl-3,4(methylenedioxy)phenylamine, and N-hydroxy MDA).
  - 26            e. Hashish.
  - 27            f. Ibogaine (also known as 7-Ethyl-6, 6B, 7, 8, 9, 10, 12, 13-octahydro-2-methoxy-  
28                6, 9-methano-5 H-pyrido [1', 2':1,2] azepino (5,4-b) indole; Tabernanthe iboga).
  - 29            g. Lysergic acid diethylamide.
  - 30            h. Marijuana.

- 1           i. Parahexyl (also known as 3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro- 6,6,9-trimethyl-  
2           6H-dibenzol[b,d]pyran; Synhexyl).
- 3           j. Peyote (all parts of the plant presently classified botanically as *Lophophora*  
4           *williamsii* Lemaire, whether growing or not, the seeds thereof, any extract from  
5           any part of such plant, and every compound, manufacture, salts, derivative,  
6           mixture, or preparation of such plant, its seeds, or its extracts).
- 7           k. N-ethyl-3-piperidyl benzilate.
- 8           l. N-methyl-3-piperidyl benzilate.
- 9           m. Psilocybin.
- 10          n. Tetrahydrocannabinols, meaning tetrahydrocannabinols naturally contained in a  
11          plant of the genus *Cannabis* (*cannabis* plant), as well as synthetic equivalents of  
12          the substances contained in the *cannabis* plant, or in the resinous extractives of  
13          such plant, including synthetic substances, derivatives, and their isomers with  
14          similar chemical structure and pharmacological activity to those substances  
15          contained in the plant; excluding tetrahydrocannabinols found in hemp as defined  
16          in [title 4.1 chapter 4.1-18.1](#); such as the following:
- 17           (1) Delta-1 cis or trans tetrahydrocannabinol, and their optical isomers. Other  
18           names: Delta-9-tetrahydrocannabinol.
- 19           (2) Delta-6 cis or trans tetrahydrocannabinol, and their optical isomers.
- 20           (3) Delta-3,4 cis or trans tetrahydrocannabinol, and its optical isomers.  
21           (Since nomenclature of these substances is not internationally standardized,  
22           compounds of these structures, regardless of numerical designation of atomic  
23           positions covered.)
- 24          o. Cannabinoids, synthetic. It includes the chemicals and chemical groups listed  
25          below, including their homologues, salts, isomers, and salts of isomers. The term  
26          "isomer" includes the optical, position, and geometric isomers.
- 27           (1) Indole carboxaldehydes. Any compound structurally derived from 1H-indole-  
28           3-carboxaldehyde or 1H-2-carboxaldehyde substituted in both of the  
29           following ways: at the nitrogen atom of the indole ring by an alkyl, haloalkyl,  
30           cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-  
31           piperidiny)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidiny)methyl,

- 1 1-(N-methyl-3- morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo  
2 benzyl group; and, at the hydrogen of the carboxaldehyde by a phenyl,  
3 benzyl, cumyl, naphthyl, adamantyl, cyclopropyl, pyrrolidinyl, piperazinyl, or  
4 propionaldehyde group whether or not the compound is further modified to  
5 any extent in the following ways:
- 6 (a) Substitution to the indole ring to any extent; or
  - 7 (b) Substitution to the phenyl, benzyl, cumyl, naphthyl, adamantyl,  
8 cyclopropyl, pyrrolidinyl, piperazinyl, or propionaldehyde group to any  
9 extent; or
  - 10 (c) A nitrogen heterocyclic analog of the indole ring; or
  - 11 (d) A nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl,  
12 adamantyl, or cyclopropyl ring.
  - 13 (e) Examples include:
    - 14 [1] 1-Pentyl-3-(1-naphthoyl)indole - Other names: JWH-018 and  
15 AM-678.
    - 16 [2] 1-Butyl-3-(1-naphthoyl)indole - Other names: JWH-073.
    - 17 [3] 1-Pentyl-3-(4-methoxy-1-naphthoyl)indole - Other names:  
18 JWH-081.
    - 19 [4] 1-[2-(4-morpholinyl)ethyl]-3-(1-naphthoyl)indole - Other names:  
20 JWH-200.
    - 21 [5] 1-Propyl-2-methyl-3-(1-naphthoyl)indole - Other names:  
22 JWH-015.
    - 23 [6] 1-Hexyl-3-(1-naphthoyl)indole - Other names: JWH-019.
    - 24 [7] 1-Pentyl-3-(4-methyl-1-naphthoyl)indole - Other names:  
25 JWH-122.
    - 26 [8] 1-Pentyl-3-(4-ethyl-1-naphthoyl)indole - Other names: JWH-210.
    - 27 [9] 1-Pentyl-3-(4-chloro-1-naphthoyl)indole - Other names:  
28 JWH-398.
    - 29 [10] 1-(5-fluoropentyl)-3-(1-naphthoyl)indole - Other names:  
30 AM-2201.

- 1 [11] 1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole - Other  
2 names: RCS-8.
- 3 [12] 1-Pentyl-3-(2-methoxyphenylacetyl)indole - Other names:  
4 JWH-250.
- 5 [13] 1-Pentyl-3-(2-methylphenylacetyl)indole - Other names:  
6 JWH-251.
- 7 [14] 1-Pentyl-3-(2-chlorophenylacetyl)indole - Other names: JWH-  
8 203.
- 9 [15] 1-Pentyl-3-(4-methoxybenzoyl)indole - Other names: RCS-4.
- 10 [16] (1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole) - Other names:  
11 AM-694.
- 12 [17] (4-Methoxyphenyl)-[2-methyl-1-(2-(4-morpholinyl)ethyl)indol-3-  
13 yl]methanone - Other names: WIN 48,098 and Pravadoline.
- 14 [18] (1-Pentylindol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)methanone --  
15 Other names: UR-144.
- 16 [19] (1-(5-fluoropentyl)indol-3-yl)-(2,2,3,3-  
17 tetramethylcyclopropyl)methanone - Other names: XLR-11.
- 18 [20] (1-(2-morpholin-4-ylethyl)-1H-indol-3-yl)-(2,2,3,3-  
19 tetramethylcyclopropyl)methanone - Other names: A-796,260.
- 20 [21] (1-(5-fluoropentyl)-1H-indazol-3-yl)(naphthalen-1-yl)methanone --  
21 Other names: THJ-2201.
- 22 [22] 1-naphthalenyl(1-pentyl-1H-indazol-3-yl)-methanone -- Other  
23 names: THJ-018.
- 24 [23] (1-(5-fluoropentyl)-1H-benzo[d]imidazol-2-yl)(naphthalen-1-  
25 yl)methanone - Other names: FUBIMINA.
- 26 [24] 1-[(N-methylpiperidin-2-yl)methyl]-3-(adamant-1-oyl) indole -  
27 Other names: AM-1248.
- 28 [25] 1-Pentyl-3-(1-adamantoyl)indole - Other names: AB-001 and  
29 JWH-018 adamantyl analog.
- 30 (2) Indole carboxamides. Any compound structurally derived from 1H-indole-3-  
31 carboxamide or 1H-2-carboxamide substituted in both of the following ways:

- 1 at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl,  
2 alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl,  
3 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-  
4 morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group;  
5 and, at the nitrogen of the carboxamide by a phenyl, benzyl, cumyl,  
6 naphthyl, adamantyl, cyclopropyl, or propionaldehyde group whether or not  
7 the compound is further modified to any extent in the following ways:
- 8 (a) Substitution to the indole ring to any extent; or
  - 9 (b) Substitution to the phenyl, benzyl, cumyl, naphthyl, adamantyl,  
10 cyclopropyl, or propionaldehyde group to any extent; or
  - 11 (c) A nitrogen heterocyclic analog of the indole ring; or
  - 12 (d) A nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl,  
13 adamantyl, or cyclopropyl ring.
  - 14 (e) Examples include:
    - 15 [1] N-Adamantyl-1-pentyl-1H-indole-3-carboxamide - Other names:  
16 JWH-018 adamantyl carboxamide, APICA, SDB-001, and 2NE1.
    - 17 [2] N-Adamantyl-1-fluoropentylindole-3-carboxamide - Other names:  
18 STS-135.
    - 19 [3] N-Adamantyl-1-pentyl-1H-Indazole-3-carboxamide - Other  
20 names: AKB 48 and APINACA.
    - 21 [4] N-1-naphthalenyl-1-pentyl-1H-indole-3-carboxamide - Other  
22 names: NNEI and MN-24.
    - 23 [5] N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indole-3-  
24 carboxamide - Other names: ADBICA.
    - 25 [6] (S)-N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-  
26 3-carboxamide - Other names: AB-PINACA.
    - 27 [7] N-[(1S)-1-(aminocarbonyl)-2-methylpropyl]-1-[(4-  
28 fluorophenyl)methyl]-1H-indazole-3-carboxamide - Other names:  
29 AB-FUBINACA.

- 1 [8] N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-  
2 indazole-3-carboxamide - Other names: 5-Fluoro AB-PINACA  
3 and 5F-AB-PINACA.
- 4 [9] N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-  
5 3-carboxamide - Other names: ADB-PINACA.
- 6 [10] N-[(1S)-1-(aminocarbonyl)-2-methylpropyl]-1-(cyclohexylmethyl)-  
7 1H-indazole-3-carboxamide - Other names: AB-CHMINACA.
- 8 [11] N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-  
9 indazole-3-carboxamide - Other names: ADB-FUBINACA.
- 10 [12] ~~N-((3s,5s,7s)-adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-~~  
11 ~~carboxamide - Other names: FUB-AKB48 and AKB48 N-(4-~~  
12 ~~fluorobenzyl) analog~~N-(adamantan-1-yl)-1-(4-fluorobenzyl)-1H -  
13 indazole-3-carboxamide - Other names: FUB-AKB48, FUB-  
14 APINACA, and AKB48 N-(4-FLUOROBENZYL).
- 15 [13] 1-(5-fluoropentyl)-N-(quinolin-8-yl)-1H-indazole-3-carboxamide -  
16 Other names: 5-fluoro-THJ.
- 17 [14] methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-  
18 methylbutanoate - Other names: 5-fluoro AMB and 5F-AMB.
- 19 [15] methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3-  
20 methylbutanoate - Other names: FUB-AMB, MMB-FUBINACA,  
21 and AMB-FUBINACA.
- 22 [16] N-[1-(aminocarbonyl)-2,2-dimethylpropyl]-1-(cyclohexylmethyl)-1  
23 H-indazole-3-carboxamide - Other names: MAB-CHMINACA and  
24 ADB-CHMINACA.
- 25 [17] Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-  
26 dimethylbutanoate - Other names: 5F-ADB and  
27 5F-MDMB-PINACA.
- 28 [18] N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-  
29 carboxamide - Other names: 5F-APINACA and 5F-AKB48.

- 1 [19] Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-  
2 dimethylbutanoate - Other names: MDMB-CHMICA and  
3 MMB-CHMINACA.
- 4 [20] Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-  
5 dimethylbutanoate - Other names: MDMB-FUBINACA.
- 6 [21] 1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-carbox  
7 amide - Other names: 4-CN-CUMYL-BUTINACA; 4-cyano-  
8 CUMYL-BUTINACA; 4-CN-CUMYL BINACA; CUMYL-4CN -  
9 BINACA; SGT-78.
- 10 [22] methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-  
11 3-methylbutanoate - Other names: MMB-CHMICA, AMB-  
12 CHMICA.
- 13 [23] 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-pyrrolo[2,3-b]pyrid  
14 ine-3-carboxamide - Other names: 5F-CUMYL-P7AICA.
- 15 [24] ethyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-  
16 dimethylbutanoate - Other names: 5F-EDMB-PINACA.
- 17 [25] methyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-  
18 dimethylbutanoate - Other names: 5F-MDMB-PICA.
- 19 [26] 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-  
20 carboxamide - Other names: 5F-CUMYL-PINACA, SGT-25).
- 21 [27] (1-(4-fluorobenzyl)-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)  
22 methanone - Other names: FUB-144.
- 23 (3) Indole carboxylic acids. Any compound structurally derived from 1H-indole-  
24 3-carboxylic acid or 1H-2-carboxylic acid substituted in both of the following  
25 ways: at the nitrogen atom of the indole ring by an alkyl, haloalkyl,  
26 cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-  
27 piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl,  
28 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo  
29 benzyl group; and, at the hydroxyl group of the carboxylic acid by a phenyl,  
30 benzyl, cumyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group

- 1 whether or not the compound is further modified to any extent in the  
2 following ways:
- 3 (a) Substitution to the indole ring to any extent; or  
4 (b) Substitution to the phenyl, benzyl, cumyl, naphthyl, adamantyl,  
5 cyclopropyl, propionaldehyde group to any extent; or  
6 (c) A nitrogen heterocyclic analog of the indole ring; or  
7 (d) A nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl,  
8 adamantyl, or cyclopropyl ring.  
9 (e) Examples include:
- 10 [1] 1-(cyclohexylmethyl)-1H-indole-3-carboxylic acid 8-quinolinyl  
11 ester - Other names: BB-22 and QUCHIC.  
12 [2] naphthalen-1-yl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate -  
13 Other names: FDU-PB-22.  
14 [3] 1-pentyl-1H-indole-3-carboxylic acid 8-quinolinyl ester - Other  
15 names: PB-22 and QUPIC.  
16 [4] 1-(5-Fluoropentyl)-1H-indole-3-carboxylic acid 8-quinolinyl ester -  
17 Other names: 5-Fluoro PB-22 and 5F-PB-22.  
18 [5] quinolin-8-yl-1-(4-fluorobenzyl)-1H-indole-3-carboxylate - Other  
19 names: FUB-PB-22.  
20 [6] naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate -  
21 Other names: NM2201 and CBL2201.
- 22 (4) Naphthylmethylindoles. Any compound containing a 1H-indol-3-yl-(1-  
23 naphthyl)methane structure with substitution at the nitrogen atom of the  
24 indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl,  
25 cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-  
26 (N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or  
27 (tetrahydropyran-4-yl)methyl group whether or not further substituted in the  
28 indole ring to any extent and whether or not substituted in the naphthyl ring  
29 to any extent. Examples include:  
30 (a) 1-Pentyl-1H-indol-3-yl-(1-naphthyl)methane - Other names: JWH-175.

- 1 (b) 1-Pentyl-1H-indol-3-yl-(4-methyl-1-naphthyl)methane - Other names:  
2 JWH-184.
- 3 (5) Naphthoylpyrroles. Any compound containing a 3-(1-naphthoyl)pyrrole  
4 structure with substitution at the nitrogen atom of the pyrrole ring by an  
5 alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-  
6 methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-  
7 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-  
8 yl)methyl group whether or not further substituted in the pyrrole ring to any  
9 extent, whether or not substituted in the naphthyl ring to any extent.  
10 Examples include: (5-(2-fluorophenyl)-1-pentylpyrrol-3-yl)-naphthalen-1-  
11 ylmethanone - Other names: JWH-307.
- 12 (6) Naphthylmethylindenes. Any compound containing a naphthylideneindene  
13 structure with substitution at the 3-position of the indene ring by an alkyl,  
14 haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-  
15 2-piperidinyl)methyl, 2 (4 morpholinyl)ethyl, 1-(N-methyl-2-  
16 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-  
17 yl)methyl group whether or not further substituted in the indene ring to any  
18 extent, whether or not substituted in the naphthyl ring to any extent.  
19 Examples include: E-1-[1-(1-Naphthalenylmethylene)-1H-inden-3-yl]pentane  
20 - Other names: JWH-176.
- 21 (7) Cyclohexylphenols. Any compound containing a 2-(3-  
22 hydroxycyclohexyl)phenol structure with substitution at the 5-position of the  
23 phenolic ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl,  
24 cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-  
25 (N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or  
26 (tetrahydropyran-4-yl)methyl group whether or not substituted in the  
27 cyclohexyl ring to any extent. Examples include:
- 28 (a) 5-(1,1-dimethylheptyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol - Other  
29 names: CP 47,497.
- 30 (b) 5-(1,1-dimethyloctyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol - Other  
31 names: Cannabicyclohexanol and CP 47,497 C8 homologue.

- 1 (c) 5-(1,1-dimethylheptyl)-2-[(1R,2R)-5-hydroxy-2-(3-  
2 hydroxypropyl)cyclohexyl]-phenol - Other names: CP 55,940.
- 3 (8) Others specifically named:
- 4 (a) (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-  
5 6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol - Other names: HU-210.
- 6 (b) (6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-  
7 6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol - Other names:  
8 Dexanabinol and HU-211.
- 9 (c) 2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-de]-1,4-  
10 benzoxazin-6-yl]-1-naphthalenylmethanone - Other names:  
11 WIN 55,212-2.
- 12 (d) Naphthalen-1-yl-(4-pentyloxynaphthalen-1-yl)methanone - Other  
13 names: CB-13.
- 14 p. Substituted phenethylamines. This includes any compound, unless specifically  
15 excepted, specifically named in this schedule, or listed under a different  
16 schedule, structurally derived from phenylethan-2-amine by substitution on the  
17 phenyl ring in any of the following ways, that is to say, by substitution with a fused  
18 methylenedioxy ring, fused furan ring, or fused tetrahydrofuran ring; by  
19 substitution with two alkoxy groups; by substitution with one alkoxy and either  
20 one fused furan, tetrahydrofuran, or tetrahydropyran ring system; or by  
21 substitution with two fused ring systems from any combination of the furan,  
22 tetrahydrofuran, or tetrahydropyran ring systems.
- 23 (1) Whether or not the compound is further modified in any of the following  
24 ways, that is to say:
- 25 (a) By substitution of phenyl ring by any halo, hydroxyl, alkyl,  
26 trifluoromethyl, alkoxy, or alkylthio groups;
- 27 (b) By substitution at the 2-position by any alkyl groups; or
- 28 (c) By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl,  
29 hydroxybenzyl, methylenedioxybenzyl, or methoxybenzyl groups.
- 30 (2) Examples include:

- 1 (a) 2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (also known as 2C-C or  
2 2,5-Dimethoxy-4-chlorophenethylamine).
- 3 (b) 2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (also known as 2C-D or  
4 2,5-Dimethoxy-4-methylphenethylamine).
- 5 (c) 2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (also known as 2C-E or  
6 2,5-Dimethoxy-4-ethylphenethylamine).
- 7 (d) 2-(2,5-Dimethoxyphenyl)ethanamine (also known as 2C-H or 2,5-  
8 Dimethoxyphenethylamine).
- 9 (e) 2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (also known as 2C-I or  
10 2,5-Dimethoxy-4-iodophenethylamine).
- 11 (f) 2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (also known as 2C-N or  
12 2,5-Dimethoxy-4-nitrophenethylamine).
- 13 (g) 2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (also known as 2C-  
14 P or 2,5-Dimethoxy-4-propylphenethylamine).
- 15 (h) 2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (also known as 2C-  
16 T-2 or 2,5-Dimethoxy-4-ethylthiophenethylamine).
- 17 (i) 2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (also known as  
18 2C-T-4 or 2,5-Dimethoxy-4-isopropylthiophenethylamine).
- 19 (j) 2-(4-bromo-2,5-dimethoxyphenyl)ethanamine (also known as 2C-B or  
20 2,5-Dimethoxy-4-bromophenethylamine).
- 21 (k) 2-(2,5-dimethoxy-4-(methylthio)phenyl)ethanamine (also known as  
22 2C-T or 4-methylthio-2,5-dimethoxyphenethylamine).
- 23 (l) 1-(2,5-dimethoxy-4-iodophenyl)-propan-2-amine (also known as DOI  
24 or 2,5-Dimethoxy-4-iodoamphetamine).
- 25 (m) 1-(4-Bromo-2,5-dimethoxyphenyl)-2-aminopropane (also known as  
26 DOB or 2,5-Dimethoxy-4-bromoamphetamine).
- 27 (n) 1-(4-chloro-2,5-dimethoxy-phenyl)propan-2-amine (also known as  
28 DOC or 2,5-Dimethoxy-4-chloroamphetamine).
- 29 (o) 2-(4-bromo-2,5-dimethoxyphenyl)-N-[(2-  
30 methoxyphenyl)methyl]ethanamine (also known as 2C-B-NBOMe;

- 1 2,5B-NBOMe or 2,5-Dimethoxy-4-bromo-N-(2-  
2 methoxybenzyl)phenethylamine).
- 3 (p) 2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2 -  
4 methoxyphenyl)methyl]ethanamine (also known as 2C-I-NBOMe; 2,5I-  
5 NBOMe or 2,5-Dimethoxy-4-iodo-N-(2-  
6 methoxybenzyl)phenethylamine).
- 7 (q) N-(2-Methoxybenzyl)-2-(3,4,5-trimethoxyphenyl)ethanamine (also  
8 known as mescaline-NBOMe or 3,4,5-trimethoxy-N-(2-  
9 methoxybenzyl)phenethylamine).
- 10 (r) 2-(4-chloro-2,5-dimethoxyphenyl)-N-[(2-  
11 methoxyphenyl)methyl]ethanamine (also known as 2C-C-NBOMe;  
12 2,5C-NBOMe or 2,5-Dimethoxy-4-chloro-N-(2-  
13 methoxybenzyl)phenethylamine).
- 14 (s) 2-(7-Bromo-5-methoxy-2,3-dihydro-1-benzofuran-4-yl)ethanamine  
15 (also known as 2CB-5-hemiFLY).
- 16 (t) 2-(8-bromo-2,3,6,7-tetrahydrofuro [2,3-f][1]benzofuran-4-  
17 yl)ethanamine (also known as 2C-B-FLY).
- 18 (u) 2-(10-Bromo-2,3,4,7,8,9-hexahydropyrano[2,3-g]chromen-5-  
19 yl)ethanamine (also known as 2C-B-butterFLY).
- 20 (v) N-(2-Methoxybenzyl)-1-(8-bromo-2,3,6,7-tetrahydrobenzo[1,2-b:4,5-  
21 b']difuran-4-yl)-2-aminoethane (also known as 2C-B-FLY-NBOMe).
- 22 (w) 1-(4-Bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine (also known  
23 as bromo-benzodifuranyl-isopropylamine or bromo-dragonFLY).
- 24 (x) N-(2-Hydroxybenzyl)-4-iodo-2,5-dimethoxyphenethylamine (also  
25 known as 2C-I-NBOH or 2,5I-NBOH).
- 26 (y) 5-(2-Aminopropyl)benzofuran (also known as 5-APB).
- 27 (z) 6-(2-Aminopropyl)benzofuran (also known as 6-APB).
- 28 (aa) 5-(2-Aminopropyl)-2,3-dihydrobenzofuran (also known as 5-APDB).
- 29 (bb) 6-(2-Aminopropyl)-2,3,-dihydrobenzofuran (also known as 6-APDB).
- 30 (cc) 2,5-dimethoxy-amphetamine (also known as 2,5-dimethoxy-a-  
31 methylphenethylamine; 2,5-DMA).

- 1 (dd) 2,5-dimethoxy-4-ethylamphetamine (also known as DOET).
- 2 (ee) 2,5-dimethoxy-4-(n)-propylthiophenethylamine (also known as 2C-T-
- 3 7).
- 4 (ff) 5-methoxy-3,4-methylenedioxy-amphetamine.
- 5 (gg) 4-methyl-2,5-dimethoxy-amphetamine (also known as 4-methyl-2,5-
- 6 dimethoxy-a-methylphenethylamine; DOM and STP).
- 7 (hh) 3,4-methylenedioxy amphetamine (also known as MDA).
- 8 (ii) 3,4-methylenedioxymethamphetamine (also known as MDMA).
- 9 (jj) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-
- 10 alpha-methyl-3,4(methylenedioxy)phenethylamine, MDE, MDEA).
- 11 (kk) 3,4,5-trimethoxy amphetamine.
- 12 (ll) Mescaline (also known as 3,4,5-trimethoxyphenethylamine).
- 13 ~~(mm) 1-(4-methoxyphenyl)-N-methylpropan-2-amine (also known as para-~~
- 14 ~~methoxymethamphetamine and PMMA).~~
- 15 q. Substituted tryptamines. This includes any compound, unless specifically
- 16 excepted, specifically named in this schedule, or listed under a different
- 17 schedule, structurally derived from 2-(1H-indol-3-yl)ethanamine (i.e., tryptamine)
- 18 by mono- or di-substitution of the amine nitrogen with alkyl or alkenyl groups or
- 19 by inclusion of the amino nitrogen atom in a cyclic structure whether or not the
- 20 compound is further substituted at the alpha-position with an alkyl group or
- 21 whether or not further substituted on the indole ring to any extent with any alkyl,
- 22 alkoxy, halo, hydroxyl, or acetoxy groups. Examples include:
- 23 (1) 5-methoxy-N,N-diallyltryptamine (also known as 5-MeO-DALT).
- 24 (2) 4-acetoxy-N,N-dimethyltryptamine (also known as 4-AcO-DMT or O-
- 25 Acetylpsilocin).
- 26 (3) 4-hydroxy-N-methyl-N-ethyltryptamine (also known as 4-HO-MET).
- 27 (4) 4-hydroxy-N,N-diisopropyltryptamine (also known as 4-HO-DIPT).
- 28 (5) 5-methoxy-N-methyl-N-isopropyltryptamine (also known as 5-MeO-MiPT).
- 29 (6) 5-methoxy-N,N-dimethyltryptamine (also known as 5-MeO-DMT).

Sixty-seventh  
Legislative Assembly

- 1 (7) Bufotenine (also known as 3-(Beta-Dimethyl-aminoethyl)-5-hydroxyindole;  
2 3-(2-dimethylaminoethyl)-5-indolol; N, N-dimethylserotonin; 5-hydroxy-N,N-  
3 dimethyltryptamine; mappine).
- 4 (8) 5-methoxy-N,N-diisopropyltryptamine (also known as 5-MeO-DiPT).
- 5 (9) Diethyltryptamine (also known as N,N-Diethyltryptamine; DET).
- 6 (10) Dimethyltryptamine (also known as DMT).
- 7 (11) Psilocyn.
- 8 r. 1-[3-(trifluoromethylphenyl)]piperazine (also known as TFMPP).
- 9 s. 1-[4-(trifluoromethylphenyl)]piperazine.
- 10 t. 6,7-dihydro-5H-indeno-(5,6-d)-1,3-dioxol-6-amine (also known as 5,6-  
11 Methylenedioxy-2-aminoindane or MDAI).
- 12 u. 2-(Ethylamino)-2-(3-methoxyphenyl)cyclohexanone (also known as  
13 Methoxetamine or MXE).
- 14 v. Ethylamine analog of phencyclidine (also known as N-ethyl-1-  
15 phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl)  
16 ethylamine, cyclohexamine, PCE).
- 17 w. Pyrrolidine analog of phencyclidine (also known as 1-(1-phenylcyclohexyl)-  
18 pyrrolidine, PCPy, PHP).
- 19 x. Thiophene analog of phencyclidine (also known as (1-[1-(2-thienyl) cyclohexyl]  
20 piperidine; 2-Thienyl analog of phencyclidine; TPCP, TCP).
- 21 y. 1-[1-(2-thienyl)cyclohexyl]pyrrolidine (also known as TCPy).
- 22 z. Salvia divinorum, salvinorin A, or any of the active ingredients of salvia divinorum.
- 23 6. Depressants. Unless specifically excepted or unless listed in another schedule, any  
24 material compound, mixture, or preparation which contains any quantity of the  
25 following substances having a depressant effect on the central nervous system,  
26 whenever the existence of such salts, isomers, and salts of isomers is possible within  
27 the specific chemical designation:
- 28 a. Gamma-hydroxybutyric acid.
- 29 b. Mecloqualone.
- 30 c. Methaqualone.
- 31 d. Clonazepam (also known as Clonitrazepam).

1 e. Etizolam.

2 f. Flualprazolam.

3 g. Flubromazepam.

4 h. Flubromazolam.

5 i. Adinazolam.

6 7. Stimulants. Unless specifically excepted or unless listed in another schedule, any  
7 material, compound, mixture, or preparation which contains any quantity of the  
8 following substances having a stimulant effect on the central nervous system,  
9 including its salts, isomers, and salts of isomers:

10 a. Aminorex (also known as 2-amino-5-phenyl-2-oxazoline, or 4,5-dihydro-5-phenyl-  
11 2-oxazolamine).

12 b. Cathinone.

13 c. Substituted cathinones. Any compound, material, mixture, preparation, or other  
14 product, unless listed in another schedule or an approved food and drug  
15 administration drug (e.g., bupropion, pyrovalerone), structurally derived from 2-  
16 aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl,  
17 or thiophene ring systems, whether or not the compound is further modified in  
18 any of the following ways:

19 (1) By substitution in the ring system to any extent with alkyl, alkylendioxy,  
20 alkoxy, haloalkyl, hydroxyl, or halide substituents, whether or not further  
21 substituted in the ring system by one or more other univalent substituents;

22 (2) By substitution at the 3-position with an acyclic alkyl substituent;

23 (3) By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, or  
24 methoxybenzyl groups; or

25 (4) By inclusion of the 2-amino nitrogen atom in a cyclic structure.

26 Some trade or other names:

27 (a) 3,4-Methylenedioxy-alpha-pyrrolidinopropiophenone (also known as  
28 MDPPP).

29 (b) 3,4-Methylenedioxy-N-ethylcathinone (also known as Ethylone,  
30 MDEC, or bk-MDEA).

Sixty-seventh  
Legislative Assembly

- 1 (c) 3,4-Methylenedioxy-N-methylcathinone (also known as Methyone or  
2 bk-MDMA).
- 3 (d) 3,4-Methylenedioxypropylvalerone (also known as MDPV).
- 4 (e) 3,4-Dimethylmethcathinone (also known as 3,4-DMMC).
- 5 (f) 2-(methylamino)-1-phenylpentan-1-one (also known as Pentedrone).
- 6 (g) 2-Fluoromethcathinone (also known as 2-FMC).
- 7 (h) 3-Fluoromethcathinone (also known as 3-FMC).
- 8 (i) 4-Methylethcathinone (also known as 4-MEC and 4-methyl-N-  
9 ethylcathinone).
- 10 (j) 4-Fluoromethcathinone (also known as Flephedrone and 4-FMC).
- 11 (k) 4-Methoxy-alpha-pyrrolidinopropiophenone (also known as MOPPP).
- 12 (l) 4-Methoxymethcathinone (also known as Methedrone; bk-PMMA).
- 13 (m) 4'-Methyl-alpha-pyrrolidinobutiophenone (also known as MPBP).
- 14 (n) Alpha-methylamino-butyrophenone (also known as Buphedrone or  
15 MABP).
- 16 (o) Alpha-pyrrolidinobutiophenone (also known as alpha-PBP).
- 17 (p) Alpha-pyrrolidinopropiophenone (also known as alpha-PPP).
- 18 (q) Alpha-pyrrolidinopentiophenone (also known as Alpha-  
19 pyrrolidinovalerophenone or alpha-PVP).
- 20 (r) Beta-keto-N-methylbenzodioxolylbutanamine (also known as Butylone  
21 or bk-MBDB).
- 22 (s) Ethcathinone (also known as N-Ethylcathinone).
- 23 (t) 4-Methylmethcathinone (also known as Mephedrone or 4-MMC).
- 24 (u) Methcathinone.
- 25 (v) N,N-dimethylcathinone (also known as metamfepramone).
- 26 (w) Naphthylpyrovalerone (naphyrone).
- 27 (x) B-Keto-Methylbenzodioxolylpentanamine (also known as Pentylone).
- 28 (y) 4-Methyl-alpha-pyrrolidinopropiophenone (also known as 4-MePPP  
29 and MPPP).
- 30 (z) 1-(1,3-benzodioxol-5-yl)-2-(ethylamino)-pentan-1-one (also known as  
31 Ephylone and N-Ethylpentylone).

- 1                   (aa) N-ethylhexedrone.
- 2                   (bb) alpha-pyrrolidinohexanophenone (also known as alpha-PHP).
- 3                   (cc) 4-methyl-alpha-ethylaminopentiophenone (also known as 4-MEAP).
- 4                   (dd) 4'-methyl-alpha-pyrrolidinohexiophenone (also known as MPHP).
- 5                   (ee) alpha-pyrrolidinoheptaphenone (also known as PV8).
- 6                   (ff) 4-chloro-alpha-pyrrolidinovalerophenone (also known 4-chloro-alpha-
- 7   PVP).
- 8           d. Fenethylline.
- 9           e. Fluoroamphetamine.
- 10          f. Fluoromethamphetamine.
- 11          g. (±)cis-4-methylaminorex (also known as (±)cis-4,5-dihydro-4-methyl-5-phenyl-2-
- 12   oxazolamine).
- 13          h. N-Benzylpiperazine (also known as BZP, 1-benzylpiperazine).
- 14          i. N-ethylamphetamine.
- 15          j. N, N-dimethylamphetamine (also known as N,N-alpha-trimethyl-
- 16   benzeneethanamine; N,N-alpha-trimethylphenethylamine).

17           **SECTION 3. AMENDMENT.** Section 19-03.1-07 of the North Dakota Century Code is  
18 amended and reenacted as follows:

19           **19-03.1-07. Schedule II.**

- 20           1. The controlled substances listed in this section are included in schedule II.
- 21           2. Schedule II consists of the drugs and other substances, by whatever official name,  
22   common or usual name, chemical name, or brand name designated, listed in this  
23   section.
- 24           3. Substances, vegetable origin or chemical synthesis. Unless specifically excepted or  
25   unless listed in another schedule, any of the following substances whether produced  
26   directly or indirectly by extraction from substances of vegetable origin, or  
27   independently by means of chemical synthesis, or by a combination of extraction and  
28   chemical synthesis:
- 29           a. Opium and opiate, and any salt, compound, derivative, or preparation of opium or  
30   opiate, excluding apomorphine, ~~thebaine-derived butorphanol~~, dextrorphan,  
31   nalbuphine, naldemedine, nalmefene, naloxegol, naloxone, 6 beta-naltrexol, ~~and~~

1 | naltrexone, and samidorphan and their respective salts, but including the  
2 | following:

3 | (1) Codeine.

4 | (2) Dihydroetorphine.

5 | (3) Ethylmorphine.

6 | (4) Etorphine hydrochloride.

7 | (5) Granulated opium.

8 | (6) Hydrocodone.

9 | (7) Hydromorphone.

10 | (8) Metopon.

11 | (9) Morphine.

12 | (10) Noroxymorphone.

13 | (11) Opium extracts.

14 | ~~(11)~~(12) Opium fluid.

15 | ~~(12)~~(13) Oripavine.

16 | ~~(13)~~(14) Oxycodone.

17 | ~~(14)~~(15) Oxymorphone.

18 | ~~(15)~~(16) Powder opium.

19 | ~~(16)~~(17) Raw opium.

20 | ~~(17)~~(18) Thebaine.

21 | ~~(18)~~(19) Tincture of opium.

22 | b. Any salt, compound, derivative, or preparation thereof which is chemically  
23 | equivalent or identical with any of the substances referred to in subdivision a, but  
24 | not including the isoquinoline alkaloids of opium.

25 | c. Opium poppy and poppy straw.

26 | d. Coca leaves and any salt, compound, derivative, or preparation of coca leaves,  
27 | including cocaine and ecgonine and their salts, isomers, derivatives, and salts of  
28 | isomers and derivatives, and any salt, compound, derivative, or preparation  
29 | thereof that is chemically equivalent or identical with any of these substances,  
30 | except that the nondosage substances must include decocainized coca leaves or  
31 | extractions of coca leaves which do not contain cocaine or ecgonine.

Sixty-seventh  
Legislative Assembly

- 1 e. Concentrate of poppy straw (the crude extract of poppy straw in either liquid,  
2 solid, or powder form which contains the phenanthrine alkaloids of the opium  
3 poppy).
- 4 4. Opiates. Unless specifically excepted or unless in another schedule, any of the  
5 following opiates, including their isomers, esters, ethers, salts, and salts of isomers,  
6 esters, and ethers whenever the existence of those isomers, esters, ethers, and salts  
7 is possible within the specific chemical designation, dextrophan and  
8 levopropoxyphene excepted:
- 9 a. Alfentanil.  
10 b. Alphaprodine.  
11 c. Anileridine.  
12 d. Bezitramide.  
13 e. Bulk dextropropoxyphene (nondosage forms).  
14 f. Carfentanil.  
15 g. Dihydrocodeine.  
16 h. Diphenoxylate.  
17 i. Fentanyl.  
18 j. Isomethadone.  
19 k. Levo-alphaacetylmethadol (LAAM).  
20 l. Levomethorphan.  
21 m. Levorphanol.  
22 n. Metazocine.  
23 o. Methadone.  
24 p. Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane.  
25 q. Moramide-Intermediate, 2-methyl-3-morpholino-1, 1-diphenylpropane-carboxylic  
26 acid.  
27 r. Oliceridine (N-[(3-methoxythiophen-2-yl)methyl] (2-[(9R)-9-(pyridin-2-yl)-6-  
28 oxaspiro [4.5]decan-9-yl]ethyl})amine fumarate).  
29 s. Pethidine (also known as meperidine).  
30 s.t. Pethidine-Intermediate-A, 4-cyano-1-methyl-4-phenylpiperidine.  
31 t.u. Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate.

Sixty-seventh  
Legislative Assembly

- 1           u-v. Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid.
- 2           v-w. Phenazocine.
- 3           w-x. Priminodine.
- 4           x-y. Racemethorphan.
- 5           y-z. Racemorphan.
- 6           z-aa. Remifentanil.
- 7           aa-bb. Sufentanil.
- 8           bb-cc. Tapentadol.
- 9           cc-dd. Thiafentanil.
- 10          5. Stimulants. Unless specifically excepted or unless listed in another schedule, any
- 11            material, compound, mixture, or preparation which contains any quantity of the
- 12            following substances having a stimulant effect on the central nervous system:
- 13            a. Amphetamine, its salts, optical isomers, and salts of its optical isomers.
- 14            b. Lisdexamfetamine, its salts, isomers, and salts of isomers.
- 15            c. Methamphetamine, its salts, isomers, and salts of isomers.
- 16            d. Phenmetrazine and its salts.
- 17            e. Methylphenidate.
- 18          6. Depressants. Unless specifically excepted or unless listed in another schedule, any
- 19            material, compound, mixture, or preparation which contains any quantity of the
- 20            following substances having a depressant effect on the central nervous system,
- 21            including its salts, isomers, and salts of isomers whenever the existence of such salts,
- 22            isomers, and salts of isomers is possible within the specific chemical designation:
- 23            a. Amobarbital.
- 24            b. Glutethimide.
- 25            c. Pentobarbital.
- 26            d. Phencyclidine.
- 27            e. Secobarbital.
- 28          7. Hallucinogenic substances.
- 29            a. Nabilone [another name for nabilone (±)-trans-3-(1, 1-dimethylheptyl)-6, 6a, 7, 8,
- 30            10, 10a-hexahydro-1-hydroxy-6, 6-dimethyl-9Hdibenzo [b, d] pyran-9-one].

- 1           b. Dronabinol [(-)-delta-9-trans tetrahydrocannabinol] in an oral solution in a drug  
2           product approved for marketing by the federal food and drug administration.
- 3           8. Immediate precursors. Unless specifically excepted or unless listed in another  
4           schedule, any material, compound, mixture, or preparation that contains any quantity  
5           of the following substances:
- 6           a. Immediate precursor to amphetamine and methamphetamine: Phenylacetone.  
7           Some trade or other names: phenyl-2-propanone; P2P, benzyl methyl ketone;  
8           methyl benzyl ketone.
- 9           b. Immediate precursors to phencyclidine (PCP):
- 10           (1) 1-phenylcyclohexylamine.
- 11           (2) 1-piperidinocyclohexanecarbonitrile (PCC).
- 12           c. Immediate precursors to fentanyl: ~~4-anilino-N-phenethyl-4-piperidine (ANPP)~~  
13           (1) 4-anilino-N-phenethylpiperidine (ANPP).  
14           (2) N-phenyl-N-(piperidin-4-yl)propionamide (norfentanyl).

15           **SECTION 4. AMENDMENT.** Section 19-03.1-11 of the North Dakota Century Code is  
16 amended and reenacted as follows:

17           **19-03.1-11. Schedule IV.**

- 18           1. The controlled substances listed in this section are included in schedule IV.
- 19           2. Schedule IV consists of the drugs and other substances, by whatever official name,  
20           common or usual name, chemical name, or brand name designated, listed in this  
21           section.
- 22           3. Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any  
23           material, compound, mixture, or preparation containing any of the following narcotic  
24           drugs or their salts calculated as the free anhydrous base or alkaloid, in limited  
25           quantities as set forth below:
- 26           a. Not more than 1 milligram of difenoxin and not less than 25 micrograms of  
27           atropine sulfate per dosage unit.
- 28           b. Dextropropoxyphene (also known as alpha-(+)-4-dimethylamino- 1,2-diphenyl-3-  
29           methyl-2-propionoxybutane).
- 30           c. 2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol, its salts, optical  
31           and geometric isomers and salts of these isomers including Tramadol.

Sixty-seventh  
Legislative Assembly

- 1           4.   Depressants. Unless specifically excepted or unless listed in another schedule, any  
2           material, compound, mixture, or preparation containing any quantity of the following  
3           substances, including their salts, isomers, and salts of isomers whenever the  
4           existence of those salts, isomers, and salts of isomers is possible within the specific  
5           chemical designation:
- 6           a.   Alprazolam.  
7           b.   Alfaxalone.  
8           c.   Barbital.  
9           d.   Brexanolone.  
10          e.   Bromazepam.  
11          e-f. Camazepam.  
12          f-g. Carisoprodol.  
13          g-h. Chloral betaine.  
14          h-i. Chloral hydrate.  
15          i-j. Chlordiazepoxide.  
16          j-k. Clobazam.  
17          k-l. Clonazepam.  
18          l-m. Clorazepate.  
19          n-o. Clotiazepam.  
20          n-o. Cloxazolam.  
21          p-q. Delorazepam.  
22          p-q. Diazepam.  
23          q-r. Dichloralphenazone.  
24          r-s. Estazolam.  
25          s-t. Ethchlorvynol.  
26          t-u. Ethinamate.  
27          u-v. Ethyl loflazepate.  
28          v-w. Fludiazepam.  
29          w-x. Flunitrazepam.  
30          x-y. Flurazepam.  
31          y-z. Fospropofol.

Sixty-seventh  
Legislative Assembly

1	<u>z-aa.</u>	Halazepam.
2	<u>aa-bb.</u>	Haloxazolam.
3	<u>bb-cc.</u>	Indiplon.
4	<u>ee-dd.</u>	Ketazolam.
5	<u>dd-ee.</u>	<u>Lemborexant.</u>
6	<u>ff.</u>	Loprazolam.
7	<u>ee-gg.</u>	Lorazepam.
8	<u>ff-hh.</u>	Lorcaserin.
9	<u>gg-ii.</u>	Lormetazepam.
10	<u>hh-jj.</u>	Mebutamate.
11	<u>ii-kk.</u>	Medazepam.
12	<u>jj-ll.</u>	Meprobamate.
13	<u>kk-mm.</u>	Methohexital.
14	<u>ll-nn.</u>	Methylphenobarbital (also known as mephobarbital).
15	<u>mm-oo.</u>	Midazolam.
16	<u>nn-pp.</u>	Nimetazepam.
17	<u>oo-qq.</u>	Nitrazepam.
18	<u>pp-rr.</u>	Nordiazepam.
19	<u>qq-ss.</u>	Oxazepam.
20	<u>rr-tt.</u>	Oxazolam.
21	<u>ss-uu.</u>	Paraldehyde.
22	<u>tt-vv.</u>	Petrichloral.
23	<u>uu-ww.</u>	Phenobarbital.
24	<u>vv-xx.</u>	Pinazepam.
25	<u>ww-yy.</u>	Propofol.
26	<u>xx-zz.</u>	Prazepam.
27	<u>yy-aaa.</u>	Quazepam.
28	<u>zz-bbb.</u>	<u>Remimazolam.</u>
29	<u>ccc.</u>	Suvorexant.
30	<u>aaa-ddd.</u>	Temazepam.
31	<u>bbb-eee.</u>	Tetrazepam.

Sixty-seventh  
Legislative Assembly

- 1           ~~eee-fff.~~ Triazolam.
- 2           ~~ddd-ggg.~~       Zaleplon.
- 3           ~~eee-hhh.~~       Zolpidem.
- 4           ~~fff.iii.~~   Zopiclone.
- 5           5. Fenfluramine. Any material, compound, mixture, or preparation which contains any
- 6           quantity of the following substances, including its salts, isomers (whether optical,
- 7           position, or geometric), and salts of such isomers, whenever the existence of such
- 8           salts, isomers, and salts of isomers is possible: Fenfluramine.
- 9           6. Stimulants. Unless specifically excepted or unless listed in another schedule, any
- 10          material, compound, mixture, or preparation which contains any quantity of the
- 11          following substances having a stimulant effect on the central nervous system,
- 12          including its salts, isomers, and salts of isomers:
- 13          a. Cathine.
- 14          b. Diethylpropion.
- 15          c. Fencamfamin.
- 16          d. Fenproporex.
- 17          e. Mazindol.
- 18          f. Mefenorex.
- 19          g. Modafinil.
- 20          h. Pemoline (including organometallic complexes and chelates thereof).
- 21          i. Phentermine.
- 22          j. Pipradrol.
- 23          k. Sibutramine.
- 24          l. Solriamfetol.
- 25          m. SPA ((-)-1-dimethylamino-1, 2-diphenylethane).
- 26          7. Other substances. Unless specifically excepted or unless listed in another schedule,
- 27          any material, compound, mixture, or preparation which contains any quantity of:
- 28          a. Pentazocine, including its salts.
- 29          b. Butorphanol, including its optical isomers.
- 30          c. Eluxadoline (5-[[[(2S)-2-amino-3-[4-aminocarbonyl]-2,6-dimethylphenyl]-1-
- 31          oxopropyl]][(1S)-1-(4-phenyl-1*H*-imidazol-2-yl)ethyl]amino]methyl]-2-

1                   methoxybenzoic acid) (including its optical isomers) and its salts, isomers, and  
2                   salts of isomers.

3           8.    The board may except by rule any compound, mixture, or preparation containing any  
4           depressant substance listed in subsection 2 from the application of all or any part of  
5           this chapter if the compound, mixture, or preparation contains one or more active  
6           medicinal ingredients not having a depressant effect on the central nervous system,  
7           and if the admixtures are included therein in combinations, quantity, proportion, or  
8           concentration that vitiate the potential for abuse of the substances which have a  
9           depressant effect on the central nervous system.

10           **SECTION 5. AMENDMENT.** Section 19-03.1-13 of the North Dakota Century Code is  
11 amended and reenacted as follows:

12           **19-03.1-13. Schedule V.**

- 13           1.    The controlled substances listed in this section are included in schedule V.
- 14           2.    Schedule V consists of the drugs and other substances, by whatever official name,  
15           common or usual name, chemical name, or brand name designated, listed in this  
16           section.
- 17           3.    Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any  
18           material, compound, mixture, or preparation containing any of the following narcotic  
19           drugs and their salts.
- 20           4.    Narcotic drugs containing non-narcotic active medicinal ingredients. Any compound,  
21           mixture, or preparation containing any of the following narcotic drugs, or their salts  
22           calculated as the free anhydrous base or alkaloid, in limited quantities as set forth  
23           below, which includes one or more non-narcotic active medicinal ingredients in  
24           sufficient proportion to confer upon the compound, mixture, or preparation valuable  
25           medicinal qualities other than those possessed by narcotic drugs alone.
- 26           a.    Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams.
- 27           b.    Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per  
28           100 grams.
- 29           c.    Not more than 100 milligrams of ethylmorphine per 100 milliliters or per  
30           100 grams.

- 1 d. Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms  
2 of atropine sulfate per dosage unit.
- 3 e. Not more than 100 milligrams of opium per 100 milliliters or per 100 grams.
- 4 f. Not more than 0.5 milligram of difenoxin and not less than 25 micrograms of  
5 atropine sulfate per dosage unit.
- 6 5. Depressants. Unless specifically exempted or excluded or unless listed in another  
7 schedule, any material, compound, mixture, or preparation that contains any quantity  
8 of the following substances having a depressant effect on the central nervous system,  
9 including its salts, isomers, and salts of isomers whenever the existence of such salts,  
10 isomers, and salts of isomers is possible:
- 11 a. Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl]butanamide) (also  
12 referred to as BRV; UCB-34714; Briviact) (including its salts).
- 13 b. Cenobamate [(1R)-1-(2-chlorophenyl)-2-(tetrazol-2-yl)ethyl] carbamate; 2H-  
14 tetrazole-2-ethanol, alpha-(2-chlorophenyl)-, carbamate (ester), (alphaR)-:  
15 carbamic acid (R)-(+)-1-(2-chlorophenyl)-2-(2H-tetrazol-2-yl)ethyl ester).
- 16 c. Ezogabine N-[2-amino-4-(4-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester.
- 17 ~~e.d.~~ Lacosamide [(R)-2-acetoamido-N-benzyl-3-methoxy-propionamide].
- 18 ~~d.e.~~ Lasmiditan [2,4,6-trifluoro-N-(6-(1-methylpiperidine-4-carbonyl)pyridine-2-yl-  
19 benzamide].
- 20 f. Pregabalin [(S)-3-(aminomethyl)-5-methylhexanoic acid].
- 21 ~~e.~~ ~~Approved cannabidiol drugs. A drug product in finished dosage formulation that~~  
22 ~~has been approved by the federal food and drug administration, which contains~~  
23 ~~cannabidiol (2-[1R-3-methyl-6R-(1-methylethenyl)-2-cyclohexen-1-yl]-5-pentyl-~~  
24 ~~1,3-benzenediol) derived from cannabis and no more than 0.1 percent weight for~~  
25 ~~weight residual tetrahydrocannabinols.~~
- 26 ~~f.g.~~ Gabapentin [2-[1-(aminomethyl) cyclohexyl] acetic acid].
- 27 6. Stimulants. Unless specifically exempted or excluded or unless listed in another  
28 schedule, any material, compound, mixture, or preparation containing any quantity of  
29 the following substances having a stimulant effect on the central nervous system,  
30 including their salts, isomers, and salts of isomers: Pyrovalerone.

31 **SECTION 6. EMERGENCY.** This Act is declared to be an emergency measure.